## **College Prep Stats**

## 11.3 Extra Practice

**1**. **Achievement and School Location** Is achieving a basic skill level in a subject related to the location of the school? The results of a random sample of students by the location of school and the number of those students achieving basic skill levels in three subjects is shown in the contingency table. At  $\alpha = 0.05$ , test the hypothesis that the variables are independent. (Adapted from HUD State of the Cities Report)

	Subject				
Location of school	Reading	Math	Science		
Urban	43	42	38		
Suburban	63	66	65		

- a) State the null hypothesis and the alternative hypothesis.
- b) Calculate the test statistic.
- c) Determine the p-value.
- d) What is the conclusion?
- **2. Attitudes about Safety** The results of a random sample of students by type of school and their attitudes on safety steps taken by the school staff are shown in the contingency table. At  $\alpha$  = 0.01, can you conclude that attitudes about the safety steps taken by the school staff are related to the type of school? (Adapted from Horatio Alger Association)

	School staff has				
Type of school	Taken all steps necessary for student safety  Taken some step toward student safety				
Public	40	51			
Private	64	34			

- a) State the null hypothesis and the alternative hypothesis.
- b) Calculate the test statistic.
- c) Determine the *p*-value.
- d) What is the conclusion?

**3. Trying to Quit Smoking** The contingency table shows the number of times a random sample of former smokers tried to quit smoking before they were habit-free and gender. At  $\alpha$  = 0.05, can you conclude that the number of times they tried to quit before they were habit-free is related to gender? (Adapted from Porter Novelli Health Styles for the American Lung Association)

	Number of times tried to quit before habit-free							
Gender	1 2-3 4 or more							
Male	271	257	149					
Female	146	139	80					

- a) State the null hypothesis and the alternative hypothesis.
- b) Calculate the test statistic.
- c) Determine the p-value.
- d) What is the conclusion?
- **4. Reviewing a Movie** The contingency table shows how a random sample of adults rated a newly released movie and gender. At  $\alpha$  = 0.05, can you conclude that the adults' ratings are related to gender?

	Rating					
Gender	Excellent	Good	Fair	Poor		
Male	97	42	26	5		
Female	101	33	25	11		

- a) State the null hypothesis and the alternative hypothesis.
- b) Calculate the test statistic.
- c) Determine the *p*-value.
- d) What is the conclusion?

**5. Musculoskeletal Injury** The results of a random sample of children with pain from musculoskeletal injuries treated with acetaminophen, ibuprofen, or codeine are shown in the contingency table. At  $\alpha$  = 0.01, can you conclude that the treatment is related to the result? (Adapted from American Academy of Pediatrics)

	Treatment				
Result	Acetaminophen	Ibuprofen	Codeine		
Significant improvement	58	81	61		
Slight improvement	42	19	39		

- a) State the null hypothesis and the alternative hypothesis.
- b) Calculate the test statistic.
- c) Determine the p-value.
- d) What is the conclusion?

**6. Motor Vehicle Crash Deaths** The contingency table shows the results of a random samples of motor vehicle crash deaths by age and gender. At  $\alpha$  = 0.05, perform a homogeneity of proportions test on the claim that the proportions of motor vehicle crash deaths involving males or females are the same for each age group. (Adapted from Insurance Institute for Highway Safety)

	Age							
Gender	16-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and older
Male	123	97	82	82	56	31	26	14
Female	46	28	28	32	22	18	18	7

- a) State the null hypothesis and the alternative hypothesis.
- b) Calculate the test statistic.
- c) Determine the p-value.
- d) What is the conclusion?

**7. Obsessive-Compulsive Disorder** The contingency table shows the results of a random sample of patients with obsessive-compulsive disorder after being treated with a drug or with a placebo. At  $\alpha$  = 0.05, perform a homogeneity of proportions test on the claim that the proportions of the results for drug and placebo treatments are the same. (Adapted from The Journal of the American Medical Association)

	Treatment			
Result	Drug	Placebo		
Improvement	39	25		
No change	54	70		

- a) State the null hypothesis and the alternative hypothesis.
- b) Calculate the test statistic.
- c) Determine the *p*-value.
- d) What is the conclusion?